

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description

THOMAS JEFFERSON MIDDLE SCHOOL
1201 FAIRGROUNDS RD
JEFFERSON CITY, MO 65109

ROUTINE
 INSPECTION

Occurred
 11/01/16

Description

Status

OBSERVED: tray on top of ice machine not clean. Corrected at time of inspection. NON-CRITICAL

APPLEBEE'S NEIGHBORHOOD GRILL
2319 MISSOURI BLVD
JEFFERSON CITY, MO 65109

ROUTINE
 INSPECTION

Occurred
 11/22/16

Description

Status

OBSERVED: Water handle on the soda machine had black debris present NON-CRITICAL
 OBSERVED: Lemon wedger had dried food debris present NON-CRITICAL
 OBSERVED: Floor drain had debris inside. NON-CRITICAL
 OBSERVED: Wall covering is coming loose from the wall. NON-CRITICAL

SONIC DRIVE IN--ELM
1711 E ELM ST
JEFFERSON CITY, MO 65101

ROUTINE
 INSPECTION

Occurred
 11/22/16

Description

Status

OBSERVED: back hand sink cold water turned off due to leak NON-CRITICAL
 OBSERVED: wall trim coming loose around window at ice cream fountain and triple sink, also at back door; walk in freezer door sill jam is coming loose NON-CRITICAL
 OBSERVED: detail cleaning necessary on walk in cooler roll away racks, also fryer station bank, dump station, hoods NON-CRITICAL

WENDY'S OLD FASHION HAMBURGERS
2108 MISSOURI BLVD
JEFFERSON CITY, MO 65109

ROUTINE
 INSPECTION

Occurred
 11/17/16

Description

Status

OBSERVED: Air curtain in the drive thru window is not working properly. NON-CRITICAL
 OBSERVED: A large amount of flies and other flying insects in the restaurant. Especially, in the food prep area. CRITICAL

FOLLOW-UP
 INSPECTION

Occurred
 11/28/16

Description

Status

OBSERVED: Air curtain in the drive thru window is not working properly. NON-CRITICAL
 **** Manager stated the maintenance company will be in soon to work on the curtain****

BREAK TIME #3045
1940 W MAIN ST
JEFFERSON CITY, MO 65109

ROUTINE
 INSPECTION
 0

Occurred
 11/14/16

Description

Status

No Violations Cited

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

CHILI'S GRILL & BAR
3515 MISSOURI BLVD
JEFFERSON CITY, MO

65109

Occurred

ROUTINE

11/28/16

INSPECTION

Description

Description

Status

OBSERVED: Soda Machine had debris present
 OBSERVED: Vent hoods over the grill and fryer had an accumulation of grease and debris. ** Manager stated the vents would be cleaned this evening**
 OBSERVED: Walk in cooler floor had food debris present
 OBSERVED: Walk in freezer floor had debris present

NON-CRITICAL

NON-CRITICAL

CHINA KING

3720 W TRUMAN BLVD STE A
JEFFERSON CITY, MO

65109

Occurred

ROUTINE

11/16/16

INSPECTION

Description

Status

OBSERVED: Back screen door seal is broken and leaving area for pest to enter the restaurant.

NON-CRITICAL

CULVER'S RESTAURANT

1920 JEFFERSON ST
JEFFERSON CITY, MO

65109

Occurred

ROUTINE

11/14/16

INSPECTION

Description

Status

OBSERVED: door gasket badly torn on the reach in freezer, replace

NON-CRITICAL

DAS STEIN HAUS

1436 SOUTHRIDGE DR
JEFFERSON CITY, MO

65109

Occurred

ROUTINE

11/29/16

INSPECTION

Description

Status

OBSERVED: new light fixture in kitchen lacks shields on lights
 OBSERVED: sides of ovens are soiled

NON-CRITICAL

NON-CRITICAL

DOLLAR GENERAL STORE #1433

2114 SCHOTTHILL WOODS DR
JEFFERSON CITY, MO

65101

Occurred

ROUTINE

11/16/16

INSPECTION

Description

Status

OBSERVED: Holes in the walls in the stock room area.

NON-CRITICAL

SUBWAY

3218 W EDGEWOOD DR STE 800
JEFFERSON CITY, MO

65109

Occurred

ROUTINE

11/09/16

INSPECTION

Description

Status

OBSERVED: Hand sink had trash present inside sink.
 OBSERVED: Microwave had food debris present.

NON-CRITICAL

NON-CRITICAL

FAMILY DOLLAR STORE

713 MADISON ST
JEFFERSON CITY, MO

65101

Occurred

ROUTINE

11/29/16

INSPECTION

Description

Status

OBSERVED: No covered trash can in the unisex bathroom.

NON-CRITICAL

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

HAPPY GARDEN
2803 W TRUMAN BLVD STE C
JEFFERSON CITY, MO 65109

Occurred

ROUTINE 11/14/16
 INSPECTION

Description

Description

Status

OBSERVED: detail clean the following soiled items: hood drip tray, ice maker ice plate, and worship center station NON-CRITICAL
 OBSERVED: grease trap top and plug has corroded leaving opening covered with ill-fitting homemade lid NON-CRITICAL
 OBSERVED: kitchen walls, also dish station walls are worn; doors to restrooms and kitchen are worn or soiled [clean or repaint mentioned items] NON-CRITICAL

HIBACHI GRILL & SUPREME BUFFET
730 W STADIUM BLVD
JEFFERSON CITY, MO 65109

Occurred

ROUTINE 11/30/16
 INSPECTION

Description

Status

OBSERVED: chest freezer lid is in disrepair (insulation exposed). NON-CRITICAL
 OBSERVED: door closure not present on unisex employee bathroom door. NON-CRITICAL
 OBSERVED: foil covering fire suppression lines coming loose. NON-CRITICAL
 OBSERVED: Wall board and tile in mop sink area need repaired. NON-CRITICAL

HUNAN RESTAURANT
1416 MISSOURI BLVD X
JEFFERSON CITY, MO 65109

Occurred

ROUTINE 11/23/16
 INSPECTION

Description

Status

OBSERVED: dish machine wash tank gauge is broken NON-CRITICAL
 OBSERVED: hood interior, walk in cooler ceiling, and kitchen ceiling fan are soiled and require cleaning NON-CRITICAL

LOVE SUSHI
2201 MISSOURI BLVD
JEFFERSON CITY, MO 65109

Occurred

FOLLOW-UP 11/02/16
 INSPECTION

Description

Status

OBSERVED: Triple sink faucet is leaking. NON-CRITICAL
 Plumber has been contacted, just waiting on time for installation

MENARDS HOME IMPROVEMENT
810 STONECREEK DR
JEFFERSON CITY, MO 65109

Occurred

ROUTINE 11/04/16
 INSPECTION
 0

Description

Status

No Violations Cited

MICHIGAN PLACE EXPO CENTER
714 MICHIGAN ST
JEFFERSON CITY, MO 65109

Occurred

ROUTINE 11/29/16
 INSPECTION

Description

Status

OBSERVED: ladies restroom supplied with paper towels without dispenser, install sanitary towel dispensers NON-CRITICAL

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description**PAPA MURPHY'S PIZZA****1803 MISSOURI BLVD STE F****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE 11/08/16

INSPECTION

0

Description

Status

No Violations Cited

PIZZA HUT**3530 COUNTRY CLUB DR****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE 11/10/16

INSPECTION

Description

Status

OBSERVED: Vent hood system in the fryer has an accumulation and build-up of grease.

CRITICAL

Occurred

FOLLOW-UP 11/23/16

INSPECTION

0

Description

Status

No Violations Cited

STADIUM 66**807 STADIUM BLVD****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE 11/17/16

INSPECTION

0

Description

Status

No Violations Cited

THE MISSION LLC**915 E HIGH ST X****JEFFERSON CITY, MO 65101**

Occurred

ROUTINE 11/07/16

INSPECTION

0

Description

Status

No Violations Cited

THREE STORY COFFEE LLC**122 E DUNKLIN ST****JEFFERSON CITY, MO 65101**

Occurred

ROUTINE 11/02/16

INSPECTION

Description

Status

OBSERVED: foods in Frigidaire dorm cooler measured 43 F instead of 41 F, keep at 41 F or lower

NON-CRITICAL

GERBES WEST MEAT DEPARTMENT**2805 W TRUMAN BLVD****JEFFERSON CITY, MO 65109**

Occurred

ROUTINE 11/01/16

INSPECTION

Description

Status

OBSERVED: Floors in the seafood walk in cooler have areas of chipping and missing floor covering.

NON-CRITICAL

OBSERVED: Display racks in the Hussman display case are chipping paint and rusting.

NON-CRITICAL

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

Description**DISCOVERY PLACE****1448 AARON CT****JEFFERSON CITY, MO 65101**

Occurred

Description

Status

ROUTINE 11/02/16

INSPECTION

0

No Violations Cited

CAPITAL REGION MEDICAL CENTER--MEMORIAL CAMPUS**1432 SOUTHWEST BLVD****JEFFERSON CITY, MO 65109**

Occurred

Description

Status

ROUTINE 11/02/16

INSPECTION

0

No Violations Cited

UNILEVER CORPORATION CAFETERIA**2900 W TRUMAN BLVD****JEFFERSON CITY, MO 65109**

Occurred

Description

Status

ROUTINE 11/16/16

INSPECTION

OBSERVED: test thermometer did not change color that adequate sanitizing temperature was achieved on dish machine;[prewash tank tested 96 F instead of required 140 F, wash tank tested 110 F instead of required 160 F, final rinse often tested was 160 F instead of required 180 F, although with time it exceeded 210 F]

CRITICAL

OBSERVED: several employees eating in kitchen and returning to work without glove change or hand washing

CRITICAL

Occurred

Description

Status

FOLLOW-UP 11/30/16

INSPECTION

OBSERVED: dish machine parts have been ordered, are on shipment, but have not arrived, and are yet to be installed

CRITICAL

SAWADDEE THAI CUISINE**2215 MISSOURI BLVD****JEFFERSON CITY, MO 65109**

Occurred

Description

Status

ROUTINE 11/08/16

INSPECTION

OBSERVED: Bagged sugar and rice were stored on the floor.

NON-CRITICAL

GERBES WEST PRODUCE DEPARTMENT**2805 W TRUMAN BLVD****JEFFERSON CITY, MO 65109**

Occurred

Description

Status

ROUTINE 11/22/16

INSPECTION

0

No Violations Cited

CAPITAL CAFE**3600 COUNTRY CLUB DR STE 228****JEFFERSON CITY, MO 65109**

Occurred

Description

Status

ROUTINE 11/15/16

INSPECTION

OBSERVED: No paper towels present at front or back hand sink. Please place in paper towel holder.

NON-CRITICAL

OBSERVED: Vent hoods had accumulation of grease. Owner will be checking with cleaning company for next time cleaning is on company schedule.

NON-CRITICAL

CITY OF JEFFERSON
Food Establishment Inspection Report
 Listing of Violations by Facility ID and Activity Date

Facility Name & Address

SAM'S CLUB #6505-PRODUCE
849 STONERIDGE PKWY
JEFFERSON CITY, MO 65109

ROUTINE 11/18/16
 INSPECTION
 0

Description

Description

Status

No Violations Cited

SAM'S CLUB #6505-CAFE
849 STONERIDGE PKWY
JEFFERSON CITY, MO 65109

ROUTINE 11/07/16
 INSPECTION

Description

Status

OBSERVED: Open display case had debris present under grate.

NON-CRITICAL

OBSERVED: Vents over pizza oven has debris present

OBSERVED: Seal on True Cooler under ice cream machine is torn.

NON-CRITICAL

THREE STORY COFFEE
400 W MAIN ST UNIT A
JEFFERSON CITY, MO 65101

ROUTINE 11/03/16
 INSPECTION
 0

Description

Status

No Violations Cited

JOY & GLADNESS CHILDREN ACADEMY, LLC
511 E MCCARTY ST
JEFFERSON CITY, MO 65101

FOLLOW-UP 11/21/16
 INSPECTION
 0

Description

Status

No Violations Cited

PIZZARIA NAPOLITANA, INC
829 EASTLAND DR
JEFFERSON CITY, MO 65101

ROUTINE 11/08/16
 INSPECTION

Description

Status

OBSERVED: leak in drain line of triple sink, also causing coved base to come loose from wall as well

NON-CRITICAL

OBSERVED: walk in cooler at 43/44 F, adjust to 41 F or lower

NON-CRITICAL

OBSERVED: grill dress table lower interior at 70 F, adjust to 41 F or lower before using

LITTLE CAESAR'S PIZZA
821 EASTLAND DR STE B
JEFFERSON CITY, MO 65101

ROUTINE 11/02/16
 INSPECTION
 0

Description

Status

No Violations Cited